

# Thermal Barrier Machinery

## **DAMPERMILL™** PRODUCT INFORMATION

**Debridger for High Performance Dampers**



## PRODUCT OVERVIEW

---

The Azon Dampermill™ is a specialized milling machine designed for precision processing of insulated, thermally broken aluminum dampers filled with AzoCore™ polyurethane. After the AzoCore has cured within the louvers, the Dampermill simultaneously cuts controlled sections of aluminum along the bottom and side surfaces. This three-cut operation creates a discontinuity in the aluminum profile, forming a thermal break that greatly minimizes the conductive heat transfer through the damper assembly.

## KEY FEATURES

---

### Performance and Cutting

Three 7.5-HP, 3,600 rpm motors with 1.375-inch (34.9 mm) arbor for precise cutting

Multi-axis adjustment for three-saw debridging with two 9-inch side blades and one 15-inch center blade

### Material Handling and Adjustability

Dual 1-HP electric power feed units for consistent extrusion movement

Durable elastomer surface wheels to enhance grip and feed rate performance

### Operator Controls and Safety

Operator-side controls for easy access to saw height, lateral adjustments, and power feed units

Integrated safety features including interlocked sliding doors, blade guards, and chip removal

Doors remain locked and do not open while blade is spinning

### Durability and Maintenance

Engineered for reliable, high-throughput operation with minimal maintenance

Blade lubricator minimizes friction between material and blade, extending tool life

Air system ensures aluminum chips are blown away to prevent them from scratching louvers

## TECHNICAL SPECS

---

**Throughput Capacity:** >130 Feet per minute

**Number of Cutters:** Three

**Minimum Extrusion Width:** 4 inches

**Maximum Extrusion Width:** 10 inches

**Manual Setup:** Yes

**Chip Collector Connection:** 6" OD Outlet

**Machine Footprint:** 90" W x 63" D x 71.5" H

**Electrical Requirements:** 480V/3~/60Hz FLA 26

### Bottom Cutter:

**Blade Diameter:** 15 inches

**Motor:** 7.5 HP, 3525 RPM

**Cutting Height Travel:** 0-0.5 inches

**Cutting Width Travel:** 2.5-5 inches

**Maximum Cutting Width:** 5 inches

### Side Cutters (2):

**Blade Diameter:** 8 or 9 inch options

**Motor:** 7.5 HP, 3525 RPM

**Cutting Height Travel:** 0-2 inches

