

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Trade name : SU 208-30T
Product code : TBB-20830T100

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Thermal barrier polymer (Part B)

1.4. Supplier's details

Azon USA Inc.
2204 Ravine Rd
Kalamazoo, Michigan 49004
USA
T 269-385-5942

1.5. Emergency phone number

Emergency number : For Hazardous Materials or Dangerous Goods Incident Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night: 1-800-424-9300 (Toll Free, USA) / 703-527-3887 (Virginia, USA)
CCN 2189
Back-up Emergency Number: +1 703-741-5970 (Washington, DC)

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Serious eye damage/eye irritation, Category 2B	H320	Causes eye irritation.
Specific target organ toxicity — Repeated exposure, Category 2	H373	May cause damage to organs through prolonged or repeated exposure.

Full text of H statements : see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US) : Warning

Hazard statements (GHS US) : H320 - Causes eye irritation
H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary statements (GHS US) : Do not breathe mist, spray, vapors.
Wash hands, forearms and face thoroughly after handling.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice or attention.
Get medical advice or attention if you feel unwell.

SU 208-30T

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Diethylene Glycol-phthalic Anhydride Polymer	CAS-No.: 32472-85-8	12 – 18	Aquatic Chronic 3, H412
Diethylene glycol	CAS-No.: 111-46-6	6.5 – 14	Acute Tox. 4 (Oral), H302 Eye Irrit. 2B, H320
Ethylene Glycol	CAS-No.: 107-21-1	2 – 5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2B, H320 STOT RE 2, H373

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	: IF exposed or concerned: Get medical advice/attention. First aider: Pay attention to self-protection. Never give anything by mouth to an unconscious person. Give artificial respiration if necessary. Induce artificial respiration with mask fitted with one-way valve or other suitable device but not mouth-to-mouth.
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If the victim is unconscious : Lay in a stable manner on victim's side. Induce artificial respiration with mask fitted with one-way valve or other suitable device; not mouth-to-mouth. Call a physician immediately.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin areas with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: Possible respiratory damage following repeated or prolonged inhalation.
Symptoms/effects after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
Symptoms/effects after eye contact	: Mild eye irritation. Redness, itching, tears.

SU 208-30T

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Symptoms/effects after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.
Most Important Symptoms/Effects	: Eye irritation.
Chronic symptoms	: May cause damage to organs through prolonged or repeated exposure.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Call a physician or poison control center immediately.
-----------------------------------	--

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Dry chemical, CO2, or water spray or regular foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard	: No fire hazard.
Reactivity in case of fire	: The product is non-reactive under normal conditions of use, storage and transport.
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon dioxide. Carbon monoxide. Nitrogen oxides.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Move containers from fire area if it can be done without personal risk. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Evacuate the danger area. If possible without taking personal risks, Remove ignition sources. If outdoors, move to an area upwind of the danger area. Prevent other non-emergency personnel from entering the danger area. Only qualified personnel equipped with suitable protective equipment may intervene.

For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so. Prevent runoff from entering drains, sewers or waterways.
Environmental precautions	: Avoid release to the environment.

6.2. Methods and materials for containment and cleaning up

For containment	: Stop leak, if possible without risk. Contain with non-combustible inert absorbent. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Take up in non-combustible inert absorbent and place into container for disposal. Contaminated absorbent material may pose the same hazard as the spilt product. Decontaminate surfaces and equipment with water and detergent. Until a sufficient level of dilution is achieved, the decontamination water may pose the same hazards as the product. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations. Notify authorities if product enters sewers or public waters.

SU 208-30T

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

For further information refer to section 8: "Exposure controls/personal protection", For further information refer to section 13

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Do not breathe mist, spray, vapors. Avoid contact with skin, eyes and clothing.
Hygiene measures	: Always wash hands after handling the product. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including incompatibilities

Storage conditions	: Store in a cool, dry and well-ventilated area away from incompatible substances. Keep container tightly closed.
Incompatible materials	: Strong acids, strong bases and strong oxidants.
Packaging materials	: Always store product in container of same material as original container.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Environmental exposure controls	: Avoid release to the environment. Take measures to reduce or limit air emissions and releases to soil and the aquatic environment.

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:

Personal protective equipment should be chosen according to national standards and in discussion with the supplier of the protective equipment. Wear recommended personal protective equipment.

Hand protection:

Wear protective gloves. Protective gloves made of : Neoprene or nitrile rubber gloves, PVC or other plastic material or natural rubber gloves

Eye protection:

Chemical goggles or face shield

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Self-contained breathing apparatus

Personal protective equipment symbol(s):



SU 208-30T

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Color	: Clear purple to black.
Odor	: Slight
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93.3 °C / >199.9 °F
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 1.072 – 1.078 @ 25 °C / 77 °F
Solubility	: Water: Slightly soluble
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 570 – 670 cP @ 25 °C / 77 °F
Explosion limits	: No data available
Particle characteristics	: No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Incompatible materials.

10.5. Incompatible materials

Strong acids, strong bases and strong oxidants.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates: Carbon dioxide. Carbon monoxide. Nitrogen oxides.

SU 208-30T

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified.

Diethylene Glycol-phthalic Anhydride Polymer

LD50 dermal rat	> 2000 mg/kg
-----------------	--------------

Diethylene glycol

LD50 oral rat	12000 mg/kg
---------------	-------------

LD50 oral	15600 mg/kg
-----------	-------------

LD50 dermal rabbit	11890 mg/kg
--------------------	-------------

LD50 dermal	13300 mg/kg
-------------	-------------

Ethylene Glycol

LD50 oral rat	4700 mg/kg body weight
---------------	------------------------

LD50 dermal rat	9530 mg/kg body weight
-----------------	------------------------

Skin corrosion/irritation : No data available

Ethylene Glycol

Skin corrosion/irritation, rabbit	Not irritating to skin
-----------------------------------	------------------------

Serious eye damage/irritation : Causes eye irritation.

Diethylene glycol

Serious eye damage/irritation, rabbit	Slightly irritating
---------------------------------------	---------------------

Ethylene Glycol

Serious eye damage/irritation, rabbit	<40% Irritating to eyes (Fully reversible effects within 7 days of observation)
---------------------------------------	---

Respiratory or skin sensitization : No data available

Ethylene Glycol

Guinea pig maximization test	Not sensitive
------------------------------	---------------

Skin sensitization, human	Not sensitive
---------------------------	---------------

Germ cell mutagenicity : No data available

Ethylene Glycol

Germ cell mutagenicityDominant lethal test, rat	Negative
---	----------

Carcinogenicity : No data available

Diethylene glycol

NOAEL (chronic,oral,animal/male,2 years)	1210 mg/kg body weight
--	------------------------

NOAEL (chronic,oral,animal/female,2 years)	1160 mg/kg body weight
--	------------------------

Reproductive toxicity : No data available

STOT-single exposure : No data available

SU 208-30T

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

Diethylene glycol

LOAEL (oral,rat,90 days)	40000 mg/kg body weight
--------------------------	-------------------------

Ethylene Glycol

STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
------------------------	--

Aspiration hazard	: No data available
Symptoms/effects after inhalation	: Possible respiratory damage following repeated or prolonged inhalation.
Symptoms/effects after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
Symptoms/effects after eye contact	: Mild eye irritation. Redness, itching, tears.
Symptoms/effects after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.
Most Important Symptoms/Effects	: Eye irritation.
Chronic symptoms	: May cause damage to organs through prolonged or repeated exposure.

SECTION 12 Ecological information

12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Diethylene Glycol-phthalic Anhydride Polymer

LC50 - Fish [1]	≥ 100 mg/l
-----------------	------------

ErC50 algae	157.4 mg/l
-------------	------------

Diethylene glycol

LC50 - Fish [1]	75200 mg/l
-----------------	------------

EC50 96h - Algae [1]	6500 – 13000 mg/l
----------------------	-------------------

EC50 96h - Algae [2]	9362 mg/l
----------------------	-----------

NOEC (chronic)	≥ 1000 mg/l
----------------	-------------

Ethylene Glycol

LC50 - Fish [1]	> 72860 mg/l
-----------------	--------------

EC50 - Crustacea [1]	> 100 mg/l
----------------------	------------

NOEC (chronic)	≥ 1000 mg/l
----------------	-------------

NOEC chronic fish	32000 mg/l (7 days)
-------------------	---------------------

NOEC chronic crustacea	24000 ml/l (48h)
------------------------	------------------

12.2. Persistence and degradability

SU 208-30T

Persistence and degradability	Not established.
-------------------------------	------------------

Diethylene Glycol-phthalic Anhydride Polymer

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

SU 208-30T

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Diethylene glycol	
Persistence and degradability	Not rapidly degradable
Ethylene Glycol	
Persistence and degradability	Not rapidly degradable
12.3. Bioaccumulative potential	
SU 208-30T	
Bioaccumulative potential	Not established.
Diethylene Glycol-phthalic Anhydride Polymer	
Partition coefficient n-octanol/water (Log Pow)	0.9 – 1.9
Diethylene glycol	
Partition coefficient n-octanol/water (Log Pow)	-1.47
Ethylene Glycol	
Bioaccumulative potential	Does not bioaccumulate.
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Ozone	: No data available
Fluorinated greenhouse gases	: No

SECTION 13 Disposal considerations

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations. Dispose of this material and its container at hazardous or special waste collection point. Refer to all applicable national, international and local regulations or provisions.
Additional information	: Do not re-use empty containers.
Ecological waste information	: Avoid release to the environment.

SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA
14.1. UN number			
Not regulated for transport			
14.2. Proper Shipping Name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated

SU 208-30T

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

DOT	TDG	IMDG	IATA
14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards			
		Not regulated	
No supplementary information available			

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT

Not regulated

TDG

Not regulated

IMDG

Not regulated

IATA

Not regulated

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Ethylene Glycol	CAS-No. 107-21-1	2 – 5%
-----------------	------------------	--------

Ethylene Glycol (107-21-1)

Listed on EPA Hazardous Air Pollutant (HAPS)
Listed on EPA HAPs Chronic Dose Response Assessment List - Carcinogens
Listed on EPA HAPs Acute Dose Response Assessment List – Exposure limits

CERCLA RQ	5000 lb
-----------	---------

15.2. International regulations

CANADA

Diethylene Glycol-phthalic Anhydride Polymer (32472-85-8)

Listed on the Canadian DSL (Domestic Substances List)

SU 208-30T

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Diethylene glycol (111-46-6)

Listed on the Canadian DSL (Domestic Substances List)

Ethylene Glycol (107-21-1)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Diethylene glycol (111-46-6)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Ethylene Glycol (107-21-1)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on EPA HAPs Chronic Dose Response Assessment List - Carcinogens

Listed on EPA HAPs Acute Dose Response Assessment List – Exposure limits

15.3. State regulations



WARNING:

This product can expose you to chemicals including Aniline, which is known to the State of California to cause cancer, and Ethylene glycol (ingested), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
Diethylene glycol(111-46-6)	U.S. - Pennsylvania - RTK (Right to Know) List
Ethylene Glycol(107-21-1)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - New York City - Right to Know Hazardous Substances List; U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16 Other information

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Issue date : 7/9/2025

Data sources : SDS prepared by CHEMTREC.

Full text of hazard classes and H-statements

H302	Harmful if swallowed
H320	Causes eye irritation
H373	May cause damage to organs through prolonged or repeated exposure
H412	Harmful to aquatic life with long lasting effects


NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

SU 208-30T

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

NFPA fire hazard	: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.